

**Introduction**

1. Berwick, D.M. (2003). Disseminating innovations in health care. *Journal of the American Medical Association*, 289(15), 1969-1975.
2. Goodwin, J.S., & Goodwin, J.M. (1984). The tomato effect: Rejection of highly efficacious therapies. *The Journal of the American Medical Association*, 251(18), 2387-2390.
3. Levin, A. (2010). Time to apply cutting edge to the brain, nobelists say. *Psychiatric News*, 45(10), 4.

**PART I: UNDERSTANDING THE PROBLEM**

**Chapter One: What is Depression?**

1. National Institute of Mental Health. (2006). *Depression and Bipolar Support Alliance: Depression Statistics*. Retrieved April 19, 2010 from [http://www.dbsalliance.org/site/PageServer?pagename=about\\_statistics\\_depression](http://www.dbsalliance.org/site/PageServer?pagename=about_statistics_depression)
2. Bostwick, J.M., & Pankratz, V.S. (2000). Affective disorders and suicide risk: a reexamination. *American Journal of Psychiatry*, 157(12), 1925-1932.
3. Mark, T.L., Levit, K.R., & Buck, J.A. (2009). Datapoints: Psychotropic drug prescriptions by medical specialty. *Psychiatric Services*, 60(9), 1167.
4. Kupfer, D.J., Frank, E., Perel, J.M., Cornes, C., Mallinger, A.G., Thase, M.E., ... Grochocinski, V.J. (1992). Five-year outcome for maintenance therapies in recurrent depression. *Arch Gen Psychiatry*, 49(10), 769-773.
5. González, H.M., Vega, W.A., Williams, D.R., Tarraf, W., West, B.T., & Neighbors, H.W. (2010). Depression care in the United States: too little for too few. *Archives of General Psychiatry*, 67(1), 37-46.
6. Population Division, U.S. Census Bureau Release. (2005, June 9). *U.S. Census Bureau Population Estimates by Demographic Characteristics. Table 2: Annual Estimates of the Population by Selected Age Groups and Sex for the United States: April 1, 2000 to July 1, 2004 (NC-EST2004-02)* Retrieved April 19, 2010 from <http://www.census.gov/popest/national/asrh/>
7. Sansone, R.A., & Sansone, L.A. (1996). Dysthymic disorder: The chronic depression. *American Family Physician*, 53(8), 2588-2596.
8. Hellerstein, D.J., Agosti, V., Bosi, M., & Black, S.R. (2010). Impairment in psychosocial functioning associated with dysthymic disorder in the NESARC study. *Journal of Affective Disorders*, [Epub ahead of print].
9. Kessler, R.C., Chiu, W.T., Demler, O., Merikangas, K.R., & Walters, E.E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 617-627.
10. Kessler, R.C., Berglund, P., Demler, O., Jin, R., Merikangas, K.R., & Walters, E.E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 593-602.
11. Altshuler, L.L., Hendrick, V., & Cohen, L.S. (1993). Course of mood and anxiety disorders during pregnancy and the postpartum period. *Journal of Clinical Psychiatry*, 59(Suppl 2), 29-33.
12. World Health Organization. (n.d.). *Depression*. Retrieved April 20, 2010 from [http://www.who.int/mental\\_health/management/depression/definition/en/](http://www.who.int/mental_health/management/depression/definition/en/)
13. OmniMedicalSearch. (n.d.). *Conditions & Disease: Psychological & Mental Health: Depression*. Retrieved April 20, 2010 from [www.omnimedicalsearch.com/conditions-diseases/depression-causes-risk-factors.html](http://www.omnimedicalsearch.com/conditions-diseases/depression-causes-risk-factors.html)
14. Goldman, L.S., Nielsen, N.H., & Champion, H.C. (1999). Awareness, Diagnosis and Treatment of Depression. *Journal of Internal General Medicine*, 14(9), 569-580.

15. Andrew, L.B. (2010, March 30). *Depression and Suicide*. Retrieved April 26, 2010 from <http://emedicine.medscape.com/article/805459-overview>
16. Conwell Y, Brent D. (1995). Suicide and aging. I: Patterns of psychiatric diagnosis. *International Psychogeriatrics*, 7(2), 149-164.
17. Kochanek, K.D., Murphy, S.L., Anderson, R.N., & Scott, C. (2004). Deaths: Final data for 2002. *National Vital Statistics Reports*, 53(5), 1-115.
18. Weissman, M.M., Bland, R.C., Canino, G.J., Greenwald, S., Hwu, H.G., Joyce, P.R., ... Yeh, E.K. (1999). Prevalence of suicide ideation and suicide attempts in nine countries. *Psychological Medicine*, 29(1), 9-17.
19. Merck & Co., Inc. (n.d.). *Depression*. Retrieved April 26, 2010 from <http://www.merck.com/mmhe/sec07/ch101/ch101b.html>.
20. Pagura, J., Fotti, S., Katz, L.Y., Sareen, J. & Swampy Cree Suicide Prevention Team. (2009). Help seeking and perceived need for mental health care among individuals in Canada with suicidal behaviors. *Psychiatric Services*, 60(7), 943-949.
21. Knol, M.J., Twisk, J.W., Beekman, A.T., Heine, R.J., Snoek, F.J., & Pouwer, F. (2006). Depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. *Diabetologia*, 49(5), 837-845.
22. Green, R.C., Cupples, L.A., Kurz, A., Auerbach, S., Go, R., Sadovnick, D., ... Farrer, L. (2003). Depression as a risk factor for Alzheimer's disease: the MIRAGE Study. *Archives of Neurology*, 60(5), 753-759.
23. Huang, T.L., & Lee, C.T. (2007). T-helper 1/T-helper 2 cytokine imbalance and clinical phenotypes of acute-phase major depression. *Psychiatry and Clinical Neuroscience*, 61(4), 415-420.
24. Pope, H.G. Jr, Cohane, G.H., Kanayama, G., Siegel, A.J., & Hudson, J.I. (2003). Testosterone gel supplementation for men with refractory depression: a randomized, placebo-controlled trial. *American Journal of Psychiatry*, 160(1), 105-111.
25. Weissman, M.M., Wickramaratne, P., Nomura, Y., Warner, V., Verdelli, H., Pilowsky, D.J., ... Bruder, G. (2005). Families at high and low risk for depression: a 3-generation study. *Archives of General Psychiatry*, 62(1), 29-36.

### **Chapter Two: Depression Can be Cured**

1. Kennedy, N. & Paykel, E.S. (2004). Residual symptoms at remission from depression: impact on long-term outcome. *Journal of Affective Disorders*, 80(2-3), 135-144.
2. Mojtabai, R. & Olfson, M. (2010). National trends in psychotropic medication polypharmacy in office-based psychiatry. *Archives of General Psychiatry*, 67(1), 26-36.
3. Trivedi, M.H., Rush, A.J., Wisniewski, S.R., Nierenberg, A.A., Warden, D., Ritz, L.,... STAR\*D Study Team. (2006). Evaluation of outcomes with citalopram for depression using measurement-based care in STAR\*D: implications for clinical practice. *American Journal of Psychiatry*; 163(1), 28-40.
4. Turner, E.H., Matthews, A.M., Linardatos, E., Tell, R.A., & Rosenthal, R. (2008). Selective publication of antidepressant trials and its influence on apparent efficacy. *The New England Journal of Medicine*, 358(3), 252-260.
5. Ustün, T.B., Ayuso-Mateos, J.L., Chatterji, S., Mathers, C., & Murray, C.J. (2004). Global burden of depressive disorders in the year 2000. *British Journal of Psychiatry*, 184, 386-392.

### **Chapter Three: Current Treatments Are Less Effective Than We Think**

1. Block, A.E. (2007). Costs and benefits of direct-to-consumer advertising: the case of depression. *Pharmacoeconomics*, 25(6), 511-521.
2. Gellad, Z.F. & Lyles, K.W. (2007). Direct-to-consumer advertising of pharmaceuticals. *The American Journal of Medicine*, 120(6), 475-480.

3. Robinson, A.R., Hohmann, K.B., Rifkin, J.I., Topp, D., Gilroy, C.M., Pickard, J.A., & Anderson, R.J. (2004). Direct-to-consumer pharmaceutical advertising: physician and public opinion and potential effects on the physician-patient relationship. *Archives of Internal Medicine*, 164(4), 427-432.
4. Okike, K., Kocher, M.S., Mehlman, C.T., & Bhandari, M. (2008). Industry-sponsored research. *Injury*, 39(6), 666-680.
5. Bekelman, J.E., Li, Y., & Gross, C.P. (2003). Scope and impact of financial conflicts of interest in biomedical research: a systematic review. *Journal of the American Medical Association*, 289(4), 454-465.
6. Moncrieff, J. (2001). Are antidepressants overrated? A review of methodological problems in antidepressant trials. *Journal of Nervous and Mental Disease*, 189(5), 288-295.
7. Fournier, J.C., DeRubeis, R.J., Hollon, S.D., Dimidjian, S., Amsterdam, J.D., Shelton, R.C., & Fawcett, J. (2010). Antidepressant drug effects and depression severity: a patient-level meta-analysis. *Journal of the American Medical Association*, 303(1), 47-53.
8. Zimmerman, M., Posternak, M.A., & Chelminski, I. (2002). Symptom severity and exclusion from antidepressant efficacy trials. *Journal of Clinical Psychopharmacology*, 22(6), 610-614.
9. Kaplan, A. (2010). Antidepressants: how well do they work? *Psychiatric Times*, 27(3).
10. Food and Drug Administration. (2004, March 24). *Worsening depression and suicidality in patients being treated with antidepressants*. Retrieved May 17, 2010 from <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/DrugSafetyInformationforHealthcareProfessionals/PublicHealthAdvisories/ucm161696.htm>
11. Gregorian, R.S., Golden, K.A., Bahce, A., Goodman, C., Kwong, W.J., & Khan, Z.M. (2002). Antidepressant-induced sexual dysfunction. *Annals of Pharmacotherapy*, 36(10), 1577-1589.

#### **Chapter Four: Depression and Biochemical Individuality**

1. Goldman, E. (2007, June). Hippocampal neurogenesis: Key to antidepressants? *Clinical Psychiatry News*, 35(6), 16.

#### **Chapter Five: Genetics, Epigenetics, and You**

1. Sullivan, P.F., Neale, M.C., & Kendler, K.S. (2000). Genetic epidemiology of major depression: review and meta-analysis. *American Journal of Psychiatry*, 157(10), 1552-1562.
2. Dolinoy, D.C., Weidman, J.R., Waterland, R.A., & Jirtle, R.L. (2006). Maternal genistein alters coat color and protects Avy mouse offspring from obesity by modifying the fetal epigenome. *Environmental Health Perspectives*, 114(4), 567-572.
3. Dolinoy, D.C., Huang, D., & Jirtle, R.L. (2007). Maternal nutrient supplementation counteracts bisphenol A-induced DNA hypomethylation in early development. *Proceedings of the National Academy of Sciences*, 104(32), 13056-13061.
4. Murgatroyd, C., Wu, Y., Bockmühl, Y., & Spengler, D. (2010). Genes learn from stress: How infantile trauma programs us for depression. *Epigenetics*, 5(3), [Epub ahead of print].
5. Caldji, C., Tannenbaum, B., Sharma, S., Francis, D., Plotsky, P.M., & Meaney, M.J. (1998). Maternal care during infancy regulates the development of neural systems mediating the expression of fearfulness in the rat. *Proceedings of the National Academy of Sciences*, 95(9), 5335-5340.
6. Francis, D., Diorio, J., Liu, D., & Meaney, M.J. (1999). Nongenomic transmission across generations of maternal behavior and stress responses in the rat. *Science*, 286(5442), 1155-1158.
7. Maestripieri, D. (2005). Early experience affects the intergenerational transmission of infant abuse in rhesus monkeys. *Proceedings of the National Academy of Sciences USA*, 102(27), 9726-9729.
8. McGowan, P.O., Sasaki, A., D'Alessio, A.C., Dymov, S., Labonté, B., Szyf, M., ... Meaney, M.J. (2009). Epigenetic regulation of the glucocorticoid receptor in human brain associates with childhood abuse. *Nature Neuroscience*, 12(3), 342-348.

9. Hughes, L.A., van den Brandt, P.A., de Bruïne, A.P., Wouters, K.A., Hulsmans, S., Spiertz, A., ... van Engeland, M. (2009). Early life exposure to famine and colorectal cancer risk: a role for epigenetic mechanisms. *PLoS ONE*, 4(11), e7951.
10. Liu, Y., Balaraman, Y., Wang, G., Nephew, K.P., & Zhou, F.C. (2009). Alcohol exposure alters DNA methylation profiles in mouse embryos at early neurulation. *Epigenetics*, 4(7), 500-511.
11. Jablonka, E. & Raz, G. (2009). Transgenerational epigenetic inheritance: prevalence, mechanisms, and implications for the study of heredity and evolution. *The Quarterly Review of Biology*, 84(2), 131-176.
12. Fang, M.Z., Wang, Y., Ai, N., Hou, Z., Sun, Y., Lu, H., ... Yang, C.S. (2003). Tea polyphenol (-)-epigallocatechin-3-gallate inhibits DNA methyltransferase and reactivates methylation-silenced genes in cancer cell lines. *Cancer Research*, 63(22), 7563-7570.
13. Walters, Ethan. (2006, Nov.). DNA is not destiny. *Discover Magazine*. Retrieved May 17, 2010 from [http://discovermagazine.com/2006/nov/cover/article\\_view?b\\_start:int=0&-C=](http://discovermagazine.com/2006/nov/cover/article_view?b_start:int=0&-C=)

### **Chapter Six: Individualizing Nutrition with THE ZEEBrA Approach**

1. Pope, H.G. Jr., Cohane, G.H., Kanayama, G., Siegel, A.J., & Hudson, J.I. (2003). Testosterone gel supplementation for men with refractory depression: a randomized, placebo-controlled trial. *American Journal of Psychiatry*, 160(1), 105-111.
2. Levenson, C.W. (2006). Zinc: the new antidepressant?. *Nutrition Reviews*, 64(1), 39-42.
3. Eby, G.A., & Eby, K.L. (2006). Rapid recovery from major depression using magnesium treatment. *Medical Hypotheses*, 67(2), 362-370.
4. Tai, S.S., Gould, M., Smith, P., & Iliffe, S. (1999). Promoting physical activity in general practice: should prescribed exercise be free?. *Journal of the Royal Society of Medicine*, 92(2), 65-67.
5. National Health Services. (n.d.) *Exercise for depression*. Retrieved May 20, 2010 from <http://www.nhs.uk/livewell/depression/pages/depressionexercise.aspx>
6. Su, K.P., Huang, S.Y., Chiu, C.C., & Shen, W.W. (2003). Omega-3 fatty acids in major depressive disorder. A preliminary double-blind, placebo-controlled trial. *European Neuropsychopharmacology*, 13(4), 267-271.
7. Nemets, H, Nemets B, Apter, A., Bracha, Z., & Belmaker, R.H. (2006). Omega-3 treatment of childhood depression: a controlled, double-blind pilot study. *American Journal of Psychiatry*, 163(6), 1098-1100.
8. Mamalakis, G., Kiriakakis, M., Tsibinos, G., Hatzis, C., Flouri, S., ... Kafatos, A. Depression and serum adiponectin and adipose omega-3 and omega-6 fatty acids in adolescents. (2006). *Pharmacology, Biochemistry, and Behavior*, 85(2), 474-479.
9. Sublette, M.E., Hibbeln, J.R., Galfalvy, H., Oquendo, M.A., & Mann, J.J. (2006). Omega-3 polyunsaturated essential fatty acid status as a predictor of future suicide risk. *American Journal of Psychiatry*, 163(6), 1100-1102.
10. Boscarino, J.A., Erlich, P.M., & Hoffman, S.N. (2009). Low serum cholesterol and external-cause mortality: Potential implications for research and surveillance. *Journal of Psychiatric Research*, 43(9), 848-854.
11. Papakostas, G.I., Petersen, T., Mischoulon, D., Ryan, J.L., Nierenberg, A.A., Bottiglieri, T., ... Fava, M. (2004). Serum folate, vitamin B12, and homocysteine in major depressive disorder, Part I: predictors of clinical response in fluoxetine-resistant depression. *Journal of Clinical Psychiatry*, 65(8), 1090-1095.
12. Hintikka, J., Tolmunen, T., Tanskanen, A., & Viinamäki, H. (2003). High vitamin B12 level and good treatment outcome may be associated in major depressive disorder. *BMC Psychiatry*, 3, 17.
13. Young, S.N. (2009). Has the time come for clinical trials on the antidepressant effect of vitamin D? *Journal of Psychiatry & Neuroscience*, 34(1), 3.

## **PART II: NOURISHING THE BRAIN: THE ZEEBrA APPROACH**

### **Chapter Seven: T: Take Care of Yourself**

1. Jacka, F.N., Pasco, J.A., Mykletun, A., Williams, L.J., Hodge, A.M., O'Reilly, S.L., ... Berk, M. (2010). Association of Western and traditional diets with depression and anxiety in women. *American Journal of Psychiatry*, *167*(3), 305-311.
2. Jacka, F.N., Kremer, P.J., Leslie, E.R., Berk, M., Patton, G.C., ... Williams, J.W. (2010). Associations between diet quality and depressed mood in adolescents: results from the Australian Healthy Neighbourhoods Study. *Australian New Zealand Journal of Psychiatry*, *44*(5), 435-442.
3. Benton, D., Williams, C., & Brown, A. (2007). Impact of consuming a milk drink containing a probiotic on mood and cognition. *European Journal of Clinical Nutrition*, *61*(3), 355-361.
4. Rao, A.V., Bsted, A.C., Beaulne, T.M., Katzman, M.A., Iorio, C., Berardi, J.M., & Logan, A.C. (2009). A randomized, double-blind, placebo-controlled pilot study of a probiotic in emotional symptoms of chronic fatigue syndrome. *Gut Pathogens*, *1*(1), 6.
5. National Sleep Foundation. (2009). *2009 Sleep in America Poll*. Retrieved May 25, 2010 from <http://www.sleepfoundation.org/sites/default/files/2009%20Sleep%20in%20America%20SOF%20EMBARGOED.pdf>
6. Eby, G.A., & Eby, K.L. (2006). Rapid recovery from major depression using magnesium treatment. *Medical Hypotheses*, *67*(2), 362-370.
7. Koetter, U. et al. (2007). A randomized, double blind, placebo-controlled, prospective clinical study to demonstrate clinical efficacy of a fixed valerian hops extract combination (Ze 91019) in patients suffering from non-organic sleep disorder. *Phytotherapy Research*, *21*(9), 847-851.
8. Poyares, D.R., et al. (2002). Can valerian improve the sleep of insomniacs after benzodiazepine withdrawal? *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, *26*(3), 539-545.
9. Saul, S. (2007, October 23). *Sleep Drugs Found Only Mildly Effective, but Wildly Popular*. New York Times. Retrieved May 25, 2010 from <http://www.nytimes.com/2007/10/23/health/23drug.html>

### **Chapter Eight: H: Hormones**

1. Prange, A.J. Jr, Wilson, I.C., Rabon, A.M., & Lipton, M.A. (1969). Enhancement of imipramine antidepressant activity by thyroid hormone. *American Journal of Psychiatry*, *126*(4), 457-469.
2. Aronson, R., Offman, H.J., Joffe, R.T., & Naylor, C.D. (1996). Triiodothyronine augmentation in the treatment of refractory depression. A meta-analysis. *Archives of General Psychiatry*, *53*(9), 842-848.
3. Lifschytz, T., Segman, R., Shalom, G., Lerer, B., Gur, E., ... Newman, M.E. (2006). Basic mechanisms of augmentation of antidepressant effects with thyroid hormone. *Current Drug Targets*, *7*(2), 203-210.
4. Verheesen, R.H., & Schweitzer, C.M. (2008). Iodine deficiency, more than cretinism and goiter. *Medical Hypothesis*, *71*(5), 645-648.
5. Patrick, L. (2009). Thyroid disruption: mechanism and clinical implications in human health. *Alternative Medicine Review*, *14*(4), 326-346
6. Bloch, M., Schmidt, P.J., Danaceau, M.A., Adams, L.F., & Rubinow, D.R. (1999). Dehydroepiandrosterone treatment of midlife dysthymia. *Biological Psychiatry*, *45*(12), 1533-1541.
7. Schmidt, P.J., Daly, R.C., Bloch, M., Smith, M.J., Danaceau, M.A., St Clair, L.S., ... Rubinow, D.R. (2005). Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression. *Archives of General Psychiatry*, *62*(2), 154-162.
8. Michael, A., Jenaway, A., Paykel, E.S., & Herbert, J. (2000). Altered salivary dehydroepiandrosterone levels in major depression in adults. *Biological Psychiatry*, *48*(10), 989-995.
9. Almeida, O.P., Yeap, B.B., Hankey, G.J., Jamrozik, K., & Flicker, L. (2008). Low free testosterone concentration as a potentially treatable cause of depressive symptoms in older men. *Archives of General Psychiatry*, *65*(3), 283-289.
10. Pope, H.G. Jr., Cohane, G.H., Kanayama, G., Siegel, A.J., & Hudson, J.I. (2003). Testosterone gel supplementation for men with refractory depression: a randomized, placebo-controlled trial. *American Journal of Psychiatry*, *160*(1), 105-111.

## Chapter Nine: E: Exclude

1. Hallert, C., & Aström, J. (1982). Psychic disturbances in adult coeliac disease. II. Psychological findings. *Scandinavian Journal of Gastroenterology*, 17(1), 21-24.
2. Ciacci, C., Iavarone, A., Mazzacca, G., & De Rosa, A. (1998). Depressive symptoms in adult coeliac disease. *Scandinavian Journal of Gastroenterology*, 33(3), 247-250.
3. Ludvigsson, J.F., Reutfors, J., Osby, U., Ekbom, A., & Montgomery, S.M. (2009). Coeliac disease and risk of mood disorders – A general population-based cohort study. *Journal of Affective Disorders*, 99(1-3), 117-126.
4. Siniscalchi, M., Iovino, P., Tortora, R., Forestiero, S., Somma, A., Capuano, L., ... Ciacci, C. (2005). Fatigue in adult celiac disease. *Alimentary Pharmacology & Therapeutics*, 22(5), 489-494.
5. Reichelt, K.L., Hole, K., Hamberger, A., Saelid, G., Edminson, P.D., Braestrup, C.B., ... Orbeck, H. (1981). Biologically active peptide-containing fractions in schizophrenia and childhood autism. *Advances in Biochemical Psychopharmacology*, 28, 627-643.
6. Hole, K., Lingjaerde, O., Mørkrid, L., Bøler, J.B., Saelid, G., Diderichsen, J., ... Reichelt, K.L. (1988). Attention deficit disorders: a study of peptide-containing urinary complexes. *Journal of Developmental and Behavioral Pediatrics*, 9(4), 205-212.
7. Pedersen, O.S., Liu, Y., & Reichelt, K.L. (1999). Serotonin uptake stimulating peptide found in plasma of normal individuals and in some autistic urines. *Journal of Peptide Research*, 53(6), 641-646.
8. Hole, K., Bergslien, H., Jørgensen, H.A., Berge, O.G., Reichelt, K.L., & Trygstad, O.E. (1979). A peptide-containing fraction in the urine of schizophrenic patients which stimulates opiate receptors and inhibits dopamine uptake. *Neuroscience*, 4(12), 1883-1893.
9. Gillberg, C., Terenius, L. & Lönnerholm, G. (1985). Endorphin activity in childhood psychosis. Spinal fluid levels in 24 cases. *Archives of General Psychiatry*, 42(8), 780-783.
10. Knivsberg, A.M., (1997). Urine patterns, peptide levels and IgA/IgG antibodies to food proteins in children with dyslexia. *Pediatric Rehabilitation*, 1(1), 25-33.
11. Reichelt, K.L., Lindback, T. & Scott, H. (1994). Increased levels of antibodies to food proteins in Down syndrome. *Acta Paediatrica Japonica*, 36(5), 489-492.
12. Reichelt, W.H., Ek, J., Stensrud, M., & Reichelt, K.L. (1998). Peptide excretion in celiac disease. *Journal of Pediatric Gastroenterology and Nutrition*, 26(3), 305-309.
13. Lindström, L.H., Nyberg, F., Terenius, L., Bauer, K., Besev, G., Gunne, L.M., ... Lindberg, B. (1984). CSF and plasma beta-casomorphin-like opioid peptides in postpartum psychosis. *American Journal of Psychiatry*, 141(9), 1059-1066.
14. Saelid, G., Haug, J.O., Heiberg, T., & Reichelt, K.L. (1985). Peptide-containing fractions in depression. *Biological Psychiatry*, 20(3), 245-256.
15. Liu, Y., Heiberg, T. & Reichelt, K.L. (2007). Towards a possible aetiology for depressions? *Behavioral and Brain Functions*, 3, 47.
16. Elgun, S., Keskinège, A., Kumbasar, H. (1999). Dipeptidyl peptidase IV and adenosine deaminase activity. decrease in depression. *Psychoneuroendocrinology*, 24(8), 823-832.
17. Maes, M., De Meester, I., Verkerk, R., De Medts, P., Wauters, A., Vanhoof, G., ... Scharpé, S. (1997). Lower serum dipeptidyl peptidase IV activity in treatment resistant major depression: Relationships with immune-inflammatory markers. *Psychoneuroendocrinology*, 22(2), 65-78.
18. Lillestøl, K., Berstad, A., Lind, R., Florvaag, E., Arslan Lied, G., Tangen, T. (2010). Anxiety and depression in patients with self-reported food hypersensitivity. *Gen Hops Psychiatry*, 32(1), 42-48.

## Chapter Ten: Z: Zinc and Other Minerals

1. Hansen, C.R., Malecha, M., Mackenzie, T.B., & Kroll, J. (1983). Copper and zinc deficiencies in association with depression and neurological findings. *Biological Psychiatry*, 18(3), 395-401.
2. McLoughlin, I.J., & Hodge, J.S. (1990). Zinc in depressive disorder. *Acta Psychiatrica Scandinavica*, 82(6), 451-453.

3. Maes, M., D'Haese, P.C., Scharpé, S., D'Hondt, P., Cosyns, P., & De Broe, M.E. (1994). Hypozincemia in depression. *Journal of Affective Disorders*, 31(2), 135-140.
4. Maes, M., Vandoolaeghe, E., Neels, H., Demedts, P., Wauters, A., Meltzer, H.Y., ... Desnyder, R. (1997). Lower serum zinc in major depression is a sensitive marker of treatment resistance of the immune/inflammatory response in that illness. *Biological Psychiatry*, 42(5), 349-358.
5. Wójcik, J., Dudek, D., Schlegel-Zawadzka, M., Grabowska, M., Marcinek, A., Florek, E., ... Nowak, G. (2006). Antepartum/postpartum depressive symptoms and serum zinc and magnesium levels. *Pharmacological Reports*, 58(4), 571-576.
6. Amani, R., Saeidi, S., Nazari, Z., & Nematpour, S. (2010). Correlation between dietary zinc intakes and its serum levels with depression scales in young female students. *Biological Trace Element Research*, 137(2), 150-158.
7. Szewczyk, B., Poleszak, E., Sowa-Kućma, M., Siwek, M., Dudek, D., Ryszewska-Pokraśniewicz, B., ... Nowak, G. (2008). Antidepressant activity of zinc and magnesium in view of the current hypotheses of antidepressant action. *Pharmacological Reports*, 60(5), 588-599.
8. Nowak, G., Szewczyk, B., & Pilc, A. (2005). Zinc and depression. An update. *Pharmacological Reports*, 57(6), 713-718.
9. Tassabehji, N.M., Corniola, R.S., Alshingiti, A., & Levenson, C.W. (2008). Zinc deficiency induces depression-like symptoms in adult rats. *Psychology & Behavior*, 95(3), 365-369.
10. Nowak, G., Siwek, M., Dudek, D., Zieba, A., & Pilc, A. (2003). Effect of zinc supplementation on antidepressant therapy in unipolar depression: a preliminary placebo-controlled trial. *Polish Journal Pharmacology*, 55(6), 1143-1147.
11. Siwek, M., Dudek, D., Paul, I.A., Sowa-Kućma, M., Zieba, A., Popik, P., ... Nowak, G. (2009). Zinc supplementation augments efficacy of imipramine in treatment resistant patients: a double-blind, placebo-controlled study. *Journal of Affective Disorders*, 118(1-3), 187-195.
12. Sawada, T., & Yokoi, K. (2010). Effect of zinc supplementation on mood states in young women: a pilot study. *European Journal of Clinical Nutrition*, 64(3), 331-333.
13. Narang, R.L., Gupta, K.R., Narang, A.P., & Singh, R. (1991). Levels of copper and zinc in depression. *Indian Journal of Physiology and Pharmacology*, 35(4), 272-274.
14. Crayton, J.W., & Walsh, W.J. (2007). Elevated serum copper levels in women with a history of postpartum depression. *Journal of Trace Elements in Medicine and Biology*, 21(1), 17-21.
15. Salustri, C., Squitti, R., Zappasodi, F., Ventriglia, M., Bevacqua, M.G., ... Tecchio, F. (2010). Oxidative stress and brain glutamate-mediated excitability in depressed patients. *Journal of Affective Disorders*, 127(1-3), 321-325.
16. Ford, E.S., & Mokdad, A.H. (2003). Dietary magnesium intake in a national sample of U.S. adults. *Journal of Nutrition*, 133(9), 2879-2882.
17. Jacka, F.N., Overland, S., Stewart, R., Tell, G.S., Bjelland, I., & Mykletun, A. (2009). Association between magnesium intake and depression and anxiety in community-dwelling adults: the Hordaland health study. *Australian and New Zealand Journal of Psychiatry*, 43(1), 45-52.
18. Eby, G.A. 3rd, & Eby, K.L. (2010). Magnesium for treatment-resistant depression: A review and hypothesis. *Medical Hypotheses*, 74(4), 649-660.
19. Barragan-Rodriguez, L., Rodriguez-Moran, M., & Guerreiro-Romero, F. (2008). Efficacy and safety of oral magnesium supplementation in the treatment of depression in the elderly with type 2 diabetes: a randomized, equivalent trial. *Magnesium Research*, 21(4), 218-223.
20. Dé Montigny, C., Grunberg, F., Mayer, A., & Deschenes, J.P. (1981). Lithium induces rapid relief of depression in tricyclic antidepressant drug non-responders. *British Journal of Psychiatry*, 138, 252-256.
21. Bauer, M., Adli, M., Bschor, T., Pilhatsch, M., Pfennig, A., Sasse, J., ... Lewitzka, U. (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. *Neuropsychobiology*, 62(1), 36-42.

22. Werback, M. (2002, Nov.). The Effects of Dietary Lithium Upon Mood and Behavior. *Townsend Letter for Doctors and Patients*, 164.
23. Wright, J. (2004, April). Lithium, Part 2: Other Effects. *Townsend Letter for Doctors and Patients*, 59.
24. Young, A.H., & Hammond, J.M. (2007). Lithium in mood disorders: increasing evidence base, declining use? *British Journal of Psychiatry*, 191, 474-476.
25. Guzzetta, F., Tondo, L., Centorrino, F., & Baldessarini, R.J. (2007). Lithium treatment reduces suicide risk in recurrent major depressive disorder. *Journal of Clinical Psychiatry*, 68(3), 380-383.
26. Cipriani, A., Pretty, H., Hawton, K., & Geddes, J.R. (2005). Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomized trials. *American Journal of Psychiatry*, 162(10), 1805-1819.
27. Ohgami, H., Terao, T., Shiotsuki, I., Ishii, N., & Iwata, N. (2009). Lithium levels in drinking water and risk of suicide. *British Journal of Psychiatry*, 194, 464-465.
28. Schrauzer, G.N. (2002). Lithium: Occurrence, dietary intakes, nutritional essentiality. *Journal of the American College of Nutrition*, 21(1), 14-21.
29. Basselin, M., Kim, H.W., Chen, M., Ma, K., Rapoport, S.I., ... Farias, S.E. (2010). Lithium modifies brain arachidonic and docosahexaenoic metabolism in rat lipopolysaccharide model of neuroinflammation. *Journal of Lipid Research*, 51(5), 1049-1056.
30. Preuss, G., & Anderson, R.A. (1998). Chromium update: examining recent literature 1997-1998. *Current Opinion in Clinical Nutrition and Metabolic Health*, 1(6), 509-512.
31. McLeod, M.N., & Golden, R.N. (2000). Chromium treatment of depression. *International Journal of Neuropsychopharmacology*, 3(4), 311-314.
32. Davidson, J.R., Abraham, K., Connor, K.M., & McLeod, M.N. (2003). Effectiveness of chromium in atypical depression: A placebo-controlled trial. *Biological Psychiatry*, 53(3), 261-264.
33. Docherty, J.P., Sack, D.A., Roffman, M., Finch, M., & Komorowski, J.R. (2005). A double-blind, placebo-controlled, exploratory trial of chromium picolinate in atypical depression: effect on carbohydrate craving. *Journal of Psychiatric Practice*, 11(5), 302-314.
34. Hein, M.D., & Jackson I.M. (1990). Review: Thyroid function in psychiatric illness. *General Hospital Psychiatry*, 12(4), 232-244.
35. Prange, A.J. Jr., Wilson, I.C., Rabon, A.M., & Lipton, M.A. (1969). Enhancement of imipramine antidepressant activity by thyroid hormone. *American Journal of Psychiatry*, 126(4), 457-469.
36. Office of Dietary Supplements, National Institute of Health. (n.d.) *Dietary Supplement Fact Sheet: Iron*. Retrieved July 23, 2010 from <http://ods.od.nih.gov/factsheets/iron.asp>.
37. Vahdat Shariatpanaahi, M., Vahdat Shariatpanaahi, Z., Moshtaaghi, M., Shahbaazi, S.H., & Abadi, A. (2007). The relationship between depression and serum ferritin level. *European Journal of Clinical Nutrition*, 61(4), 532-535.
38. Beard, J.L., Hendricks, M.K., Perez, E.M., Murray-Kolb, L.E., Berg, A., Vernon-Feagans, L., ... Tomlinson, M. (2005). Maternal iron deficiency anemia affects postpartum emotions and cognition. *Journal of Nutrition*, 135(2), 267-272.

### **Chapter Eleven: E: Essential Fatty Acids and Cholesterol**

1. Greenwood, C.E., McGee, C.D., & Dyer, J.R. (1989). Influence of dietary fat on brain membrane phospholipid fatty acid composition and neuronal function in mature rats. *Nutrition*, 5(4), 278-81.
2. Adams, P.B., Lawson, S., Sanigorski, A., & Sinclair, A.J. (1996). Arachidonic acid to eicosapentaenoic acid ratio in blood correlates positively with clinical symptoms of depression. *Lipids*, 31(Suppl), S157-S161.
3. Mamalakis, G., Kiriakakis, M., Tsibinos, G., Hatzis, C., Flouri, S., ... Kafatos, A. (2006). Depression in serum adiponectin and adipose omega-3 and omega-6 fatty acids in adolescents. *Pharmacology, Biochemistry, and Behavior*, 85(2), 474-479.

4. Mamalakis, G., Tornaritis, M., & Kafatos, A. (2002). Depression and adipose essential polyunsaturated fatty acids. *Prostaglandins, Leukotriens, and Essential Fatty Acids*, 67(5), 311-318.
5. Otto, S.J., de Groot, R.H., & Hornstra, G. (2003). Increased risk of postpartum depressive symptoms is associated with slower normalization after pregnancy of the functional docosahexaenoic acid status. *Prostaglandins, Leukotrienes, and Essential Fatty Acids*, 69(4), 237-243.
6. Ranjekar, P.K., Hinge, A., Hegde, M.V., Ghate, M., Kale, A., Sitasawad, S., ... Mahadik, S.P. (2003). Decreased antioxidant enzymes and membrane essential polyunsaturated fatty acids in schizophrenic and bipolar mood disorder patients. *Psychiatry Research*, 121(2), 109-122.
7. Sublette, M.E., Hibbeln, J.R., Galfalvy, H., Oquendo, M.A., & Mann, J.J. (2006). Omega-3 polyunsaturated essential fatty acid status as a predictor of future suicide risk. *American Journal of Psychiatry*, 163(6), 1100-1102.
8. Hibbeln, J.R. (1998). Fish consumption and major depression. *Lancet*, 351(9110), 1213.
9. Logan, A.C. (2004). Omega-3 fatty acids and major depression: A primer for the mental health professional. *Lipids in Health and Disease*, 3, 25.
10. Su, K.P., Huang, S.Y., Chiu, C.C., & Shen, W.W. (2003). Omega-3 fatty acids in major depressive disorder. A preliminary double-blind, placebo-controlled trial. *European Neuropsychopharmacology*, 13(4), 267-271.
11. Nemets, H., Nemets, B., Apter, A., Bracha, Z., & Belmaker, R.H. (2006). Omega-3 treatment of childhood depression: a controlled, double-blind pilot study. *American Journal of Psychiatry*, 163(6), 1098-1100.
12. Stoll, A.L., Severus, W.E., Freeman, M.P., Rueter, S., Zboyan, H.A., Diamond, E., ... Marangell, L.B. (1999). Omega 3 fatty acids in bipolar disorder: a preliminary double-blind, placebo-controlled trial. *Archives of General Psychiatry*, 56(5), 407-412.
13. Clayton, E.H., Hanstock, T.L., Hirneth, S.J., Kable, C.J., Garg, M.L., & Hazell, P.L. (2009). Reduced mania and depression in juvenile bipolar disorder associated with long-chain omega-3 polyunsaturated fatty acid supplementation *European Journal of Clinical Nutrition*, 63(8), 1037-1040.
14. Peet, M., & Horrobin, D.F. (2002). A dose-ranging study of the effects of ethyl-eicosapentaenoate in patients with ongoing depression despite apparently adequate treatment with standard drugs. *Archives of General Psychiatry*, 59(10), 913-919.
15. Jazayeri, S., Tehrani-Doost, M., Keshavarz, S.A., Hosseini, M., Djazayeri, A., Amini, H., ... Peet, M. (2008). Comparison of therapeutic effects of omega-3 fatty acid eicosapentaenoic acid and fluoxetine, separately and in combination, in major depressive disorder. *Australian and New Zealand Journal of Psychiatry*, 42(3), 192-198.
16. Lespérance, F., Frasare-Smith, N., St-André, E., Turecki, G., Lespérance, P., & Wisniewski, S.R. (2010). The efficacy of omega-3 supplementation for major depression: a randomized controlled trial. *Journal of Clinical Psychiatry*, [Epub ahead of print].
17. Sinatra, S. (2009, June). Clearing up the cholesterol confusion. *Townsend Letter*, 52.
18. Morgan, R.E., Palinkas, L.A., Barrett-Connor, E.L., & Wingard, D.L. (1993). Plasma cholesterol and depressive symptoms in older men. *Lancet*, 341(8837), 75-79.
19. Steegmans, P.H., Hoes, A.W., Bak, A.A., van der Does, E., & Grobbee, D.E. (2000). Higher prevalence of depressive symptoms in middle-aged men with low serum cholesterol levels. *Psychosomatic Medicine*, 62(2), 205-211.
20. Horsten, M., Wamala, S.P., Vingerhoets, A., & Orth-Gomer, K. (1997). Depressive symptoms, social support, and lipid profile in healthy middle-aged women. *Psychosomatic Medicine*, 59(5), 521-528.
21. Rafter, D. (2001). Biochemical markers of anxiety and depression. *Psychiatry Research*, 103(1), 93-96.
22. Borgherini, G., Dorz, S., Conforti, D., Scarso, C., & Magni, G. (2002). Serum cholesterol and psychological distress in hospitalized depressed patients. *Acta Psychiatrica Scandinavica*, 105(2), 149-152.

23. Shin, J.Y., Suls, J., & Martin, R. (2008). Are cholesterol and depression inversely related? A meta-analysis of the association between two cardiac risk factors. *Annals of Behavioral Medicine*, 36(1), 33-43.
24. Lehto, S.M., Niskanen, L., Tolmunen, T., Hintikka, J., Viinamäki, H., Heiskanen, T., ... Koivumaa-Honkanen, H.. (2010). Low serum HDL-cholesterol levels are associated with long symptoms duration in patients with major depressive disorder. *Psychiatry and Clinical Neurosciences*, 64(3), 279-283.
25. Neaton, J.D., Blackburn, H., Jacobs, D., Kuller, L., Lee, D.J., Sherwin, R., ... Wentworth, D. (1992). Serum cholesterol level and mortality findings for men screened in the Multiple Risk Factor Intervention Trial. Multiple Risk Factor Intervention Trial Research Group. *Archives of Internal Medicine*, 152(7), 1490-1500.
26. Vuksan-Cusa, B., Marcinko, D., Nad, S., & Jakovljević, M. (2009). Differences in cholesterol and metabolic syndrome between bipolar disorder men with and without suicide attempts. *Progress in Neuropsychopharmacology & Biological Psychiatry*, 33(1), 109-112.
27. Perez-Rodriguez, M.M., Baca-Garcia, E., Diaz-Sastre, C., Garcia-Resa, E., Ceverino, A., Saiz-Ruiz, J., ..., de Leon, J. (2008). Low serum cholesterol may be associated with suicide history attempt. *Journal of Clinical Psychiatry*, 69(12), 1920-1927.
28. Atmaca, M., Kuloglu, M., Tezcan, E., & Ustundag, B. (2008). Serum leptin and cholesterol values in violent and non-violent suicide attempters. *Psychiatry Research*, 158(1), 87-91.
29. Golomb, B.A., Stattin, H., & Mednick, S. (2000). Low cholesterol and violent crime. *Journal of Psychiatric Research*, 34(4-5), 301-309.
30. Lalovic, A., Levy, E., Luheshi, G., Canetti, L., Grenier, E., Sequeira, A., Turecki, G. (2007). Cholesterol content in brains of suicide completers. *International Journal of Neuropsychopharmacology*, 10(2), 159-166.
31. Wilson, D. (2010, March 30). Risks seen in cholesterol drug use in healthy people. *New York Times*, A1.

### **Chapter Twelve: E: Exercise and Energy**

1. Goodwin, R.D. (2003). Association between physical activity and mental disorders among adults in the United States. *Preventive Medicine*, 36(6), 698-703.
2. Galper, D.I., Trivedi, M.H., Barlow, C.E., Dunn, A.L., & Kampert, J.B. (2006). Inverse association between physical inactivity and mental health in men and women. *Medicine and Science in Sports and Exercise*, 36(1), 183-178.
3. Dunn, A.L., Trivedi, M.H., Kampert, J.B., Clark, C.G., & Chambliss, H.O. (2005). Exercise treatment for depression: efficacy and dose response. *American Journal of Preventive Medicine*, 28(1), 1-8.
4. Heh, S.S., Huang, L.H., Ho, S.M., Fu, Y.Y., & Wang, L.L. (2008). Effectiveness of an exercise support program in reducing the severity of postnatal depression in Taiwanese women. *Birth*, 35(1), 60-65.
5. Babyak, M., Blumenthal, J.A., Herman, S., Khatiri, P., Doraiswamy, M., Moore, K., ... Krishnan, K.R. (2000). Exercise treatment for major depression: maintenance of therapeutic benefit at 10 months. *Psychomatic Medicine*, 62(5), 633-638.
6. Woolery, A., Myers, H., Sternlieb, B., & Zeltzer, L. (2004). A yoga intervention for young adults with elevated symptoms of depression. *Alternative Therapies in Health and Medicine*, 10(2), 60-63.
7. Khalsa, S.B., Shorter, S.M., Cope, S., Wyshak, G., & Sklar, E. (2009). Yoga ameliorates performance anxiety and mood disturbance in young professional musicians. *Applied Psychophysiology and Biofeedback*, 34(4), 279-289.
8. Wang, C., Schmid, C.H., Hibberd, P.L., Kalish, R., Roubenoff, R., Rones, R., & McAlindon, T. (2009). Tai Chi is effective in treating knee osteoarthritis: a randomized controlled trial. *Arthritis Rheumatism*, 61(11), 1545-1553.
9. Wang, C. (2008). Tai Chi improves pain and functional status in adults with rheumatoid arthritis: results of a pilot single-blinded randomized controlled trial. *Medicine and Sport Science*, 52, 218-229.
10. Sidhu, K.S., Vandana, P., & Balon, R. (2009). Exercise prescription. *Current Psychiatry*, 8(6), 39-51.

11. Kotz, D. (2010, June 30). *5 Mind-Blowing Benefits of Exercise*. U.S. News & World Report. Retrieved June 30, 2010 from <http://health.usnews.com/health-news/diet-fitness/fitness/articles/2010/06/30/0630healthexercise.html>
12. Blue, L. (2010, June 19). *Is exercise the best drug for depression?* Time. Retrieved June 30, 2010 from <http://www.time.com/time/health/article/0,8599,1998021,00.html>.
13. Maniam, J., & Morris, M.J. (2010). Voluntary exercise and palatable high-fat diet both improve behavioural profile and stress responses in male rats exposed to early life stress: role of hippocampus. *Psychoneuroendocrinology*, 35(10), 1553-1564.
14. Vaccarino, A.L., Sills, T.L., Evans, K.R., & Kalali, A.H. (2008). Prevalence and association of somatic symptoms in patients with major depressive disorder. *Journal of Affective Disorders*, 110(3), 270-276.
15. Gardner, A., & Boles, R.G. (2008). Mitochondrial energy depletion in depression with somatization. *Psychotherapy and Psychomatics*, 77(2), 127-129.
16. Rezin, G.T., Amboni, G., Zugno, A.I., Quevedo, J., & Streck, E.L. (2009). Mitochondrial dysfunction and psychiatric disorders. *Neurochemical Research*, 34(6), 1021-1029.
17. Oh, R.C., & Brown, D.L. (2003). Vitamin B12 deficiency. *American Family Physician*, 67(5), 979-986.
18. Malaguarnera, M., Cammalleri, L., Gargante, M.P., Vacante, M., Colonna, V., & Motta, M. (2007). L-carnitine treatment reduces severity of physical and mental fatigue and increases cognitive functions in centenarians: a randomized and controlled clinical trial. *American Journal of Clinical Nutrition*, 86(6), 1738-1744.
19. Kuratsune, H., Yamaguti, K., Takahashi, M., Misaki, H., Tagawa, S., & Kitani, T. (1994). Acylcarnitine deficiency in chronic fatigue syndrome. *Clinical Infectious Diseases*, 18(Suppl 1), S62-S67.
20. Plioplys, A.V., & Plioplys, S. (1997). Amantadine and L-carnitine treatment of chronic fatigue syndrome. *Neuropsychobiology*, 35(1), 16-23.
21. Cruciani, R.A., Dvorkin, E., Homel, P., Malamud, S., Culliney, B., Lapin, J., ... Esteban-Cruciani, N. (2006). Safety, tolerability and symptom outcomes associated with L-carnitine supplementation in patients with cancer, fatigue, and carnitine deficiency: a phase I/II study. *Journal of Pain and Symptom Management*, 32(6), 551-559.
22. Ciacci, C., Peluso, G., Iannoni, E., Siniscalchi, M., Iovino, P., Rispo, A., ... Calvani, M. (2007). L-carnitine in the treatment of fatigue in adult celiac disease patients: a pilot study. *Digestive and Liver Disease*, 39(10), 922-928.
23. Mizuno, K., Tanaka, M., Nozaki, S., Mizuma, H., Ataka, S., Tahara, T., ... Watanabe, Y. (2004). Antifatigue effects of coenzyme Q10 during physical fatigue. *Nutrition*, 24(4), 293-299.
24. Kishi, T., Watanabe, T., & Folkers, K. (1977). Bioenergetics in clinical medicine XV. Inhibition of coenzyme Q10-enzymes by clinically used adrenergic blockers of beta-receptors. *Research Communications in Chemical Pathology and Pharmacology*, 17(1), 157-164.
25. Teitelbaum, J.E., Johnson, C., & St. Cyr, J. (2006). The use of D-ribose in chronic fatigue syndrome and fibromyalgia: a pilot study. *Journal of Alternative and Complementary Medicine*, 12(9), 857-862.
26. Hellsten, Y., Skadhauge, L., & Bangsbo, J. (2004). Effect of ribose supplementation on resynthesis of adenine nucleotides after intense intermittent training in humans. *American Journal of Physiology. Regulatory, Integrative, and Comparative Physiology*, 286(1), R182-R188.

### **Chapter Thirteen: B: B Vitamins and Other Vitamins**

1. Abou-Saleh, M.T., & Coppen, A. (1989). Serum and red blood cell folate in depression. *Acta Psychiatrica Scandinavica*, 80(1), 78-82.
2. Beydoun, M.A., Fanelli Kuczmariski, M.T., Beydoun, H.A., Shroff, M.R., Mason, M.A., ... Zonderman, A.B. (2010). The sex-specific role of plasma folate in mediating the association of dietary quality with depressive symptoms. *Journal of Nutrition*, 140(2), 338-347.

3. Fava, M., Borus, J.S., Alpert, J.E., Nierenberg, A.A., Rosenbaum, J.F., & Bottiglieri, T. (1997). Folate, vitamin B12, and homocysteine in major depressive disorder. *American Journal of Psychiatry*, *154*(3), 426-428.
4. Papakostas, G.I., Petersen, T., Mischoulon, D., Green, C.H., Nierenberg, A.A., Bottiglieri, T., ... Fava, M. (2004). Serum folate, vitamin B12, and homocysteine in major depressive disorder, Part 2: predictors of relapse during the continuation phase of pharmacotherapy. *Journal of Clinical Psychiatry*, *65*(8), 1096-1098.
5. Coppen, A., & Bailey, J. (2000). Enhancement of the antidepressant action of fluoxetine by folic acid: a randomized, placebo controlled trial. *Journal of Affective Disorders*, *60*(2), 121-130.
6. Alpert, J.E., Mischoulon, D., Rubenstein, G.E., Bottonari, K., Nierenberg, A.A., & Fava, M. (2002). Folinic acid (Leucovorin) as an adjunctive treatment for SSRI-refractory depression. *Annals of Clinical Psychiatry*, *14*(1), 33-38.
7. Fava, M., & Mischoulon, D. (2009). Folate in depression: Efficacy, safety differences in formulations, and clinical issues. *Journal of Clinical Psychiatry*, *70*(Suppl 5), 12-17.
8. Kim, Y.I. (2004). Will mandatory folic acid fortification prevent or promote cancer? *American Journal of Clinical Nutrition*, *80*(5), 1123-1128.
9. Morris, M.C., Evans, D.A., Bienias, J.L., Tangney, C.C., Hebert, L.E., Scherr, P.A., & Schneider, J.A. (2005). Dietary folate and vitamin B12 intake and cognitive decline among community-dwelling older persons. *Archives of Neurology*, *62*(4), 641-645.
10. Morris, M.S., Jacques, P.F., Rosenberg, I.H., & Selhub, J. (2007). Folate and vitamin B-12 status in relation to anemia, macrocytosis, and cognitive impairment in older Americans in the age of folic acid fortification. *American Journal of Clinical Nutrition*, *85*(1), 193-200.
11. Hutto, B.R. (1997). Folate and cobalamin in psychiatric illness. *Comprehensive Psychiatry*, *38*(6), 305-314.
12. Tiemeier, H., van Tuijl, H.R., Hofman, A., Meijer, J., Kiliaan, A.J., & Breteler, M.M. (2002). Vitamin B12 folate, and homocysteine in depression: the Rotterdam Study. *American Journal of Psychiatry*, *159*(12), 2099-2101.
13. Hintikka, J., Tolmunen, T., Tanskanen, A., & Viinamäki, H. (2003). High vitamin B12 level and good treatment outcome may be associated in major depressive disorder. *BMC Psychiatry*, *3*, 17.
14. Wilkins, C.H., Sheline, Y.I., Roe, C.M., Birge, S.J., & Morris, J.C. (2006). Vitamin D deficiency is associated with low mood and worse cognitive performance in older adults. *American Journal of Geriatric Psychiatry*, *14*(12), 1032-1040.
15. May, H.T., Bair, T.L., Lappé, D.L., Anderson, J.L., Horne, B.D., Carlquist, J.F., & Muhlestein, J.B. (2010). Association of vitamin D levels with incident depression among a general cardiovascular population. *American Heart Journal*, *159*(6), 1037-1043.
16. Milanese, Y., Shardell, M., Corsi, A.M., Vazzana, R., Bandinelli, S., Guralnik, J.M., & Ferrucci, L. (2010). Serum 25-hydroxyvitamin D and depressive symptoms in older women and men. *Journal of Clinical Endocrinology and Metabolism*, *95*(7), 3225-3233.
17. Stewart, R., & Hirani, V. (2010). Relationship between vitamin D levels and depressive symptoms in older residents from a national survey population. *Psychosomatic Medicine*, *72*(7), 608-612.
18. Barnard, K., & Colón-Emeric, C. (2010). Extraskelatal effects of vitamin D in older adults: cardiovascular disease, mortality, mood, and cognition. *American Journal of Geriatric Pharmacotherapy*, *8*(1), 4-33.
19. Gloth, F.M. 3<sup>rd</sup>, Alam, W., & Hollis, B. (1999). Vitamin D vs broad spectrum phototherapy in the treatment of seasonal affective disorder. *Journal of Nutrition, Health, & Aging*, *3*(1), 5-7.
20. Shipowick, C.D., Moore, C.B., Corbett, C., & Bindler, R. (2009). Vitamin D and depression symptoms in women during the winter: a pilot study. *Applied Nursing Research*, *22*(3), 221-225.
21. Lansdowne, A.T., & Provost, S.C. (1998). Vitamin D3 enhances mood in healthy subjects during winter. *Psychopharmacology*, *135*(4), 310-323.

22. Snellman, G., Melhus, H., Gedeberg, R., Olofsson, S., Wolk, A., Pedersen, N.L., & Michaëlsson, K. (2009). Seasonal genetic influence on serum 25-hydroxyvitamin D levels: a twin study. *PLoS One*, 4(11), e7747.
23. Bell, K.M., Plon, L., Bunney, W.E. Jr., & Potkin, S.G. (1988). S-adenosylmethionine treatment of depression: a controlled clinical trial. *American Journal of Psychiatry*, 145(9), 1110-1114.
24. Delle Chiaie, R., Pancheri, P., & Scapicchio, P. (2002). Efficacy and tolerability of oral and intramuscular S-adenosyl-L-methionine 1,4-butanedisulfonate (SAME) in the treatment of major depression: comparison with imipramine in 2 multicenter studies. *American Journal of Clinical Nutrition*, 76(5), 1172S-1176S.
25. Bressa GM. (1994). S-adenosyl-l-methionine (SAME) as an antidepressant: meta-analysis of clinical studies. *Acta Neurologica Scandinavica. Supplementum*, 154, 7-14.
26. The National Center for Complementary and Alternative Medicine at the National Institutes of Health. (2008, Dec. 22). *SAME for Treatment of Depression*. Retrieved August 12, 2010 from <http://www.healthyplace.com/depression/alternative-treatments/same-for-treatment-of-depression/menu-id-68/>.
27. Papakostas, G.I., Mischoulon, D., Shyu, I., Alpert, J.E., & Fava, M. (2010). S-adenosyl methionine (SAME) augmentation of serotonin reuptake inhibitors for antidepressant nonresponders with major depressive disorder: a double-blind, randomized clinical trial. *American Journal of Psychiatry*, 167(8), 942-948.
28. Colodny, L., & Hoffman, R.L. (1998). Inositol--Clinical applications for exogenous use. *Alternative Medicine Review*, 3(6), 432-447.
29. Benjamin, J., Levine, J., Fux, M., Aviv, A., Levy, D., & Belmaker, R.H. (1995). Double-blind, placebo-controlled, crossover trial of inositol treatment for panic disorder. *American Journal of Psychiatry*, 152(7), 1084-1086.
30. Palatnik, A., Frolov, K., Fux, M., & Benjamin, J. (2001). Double-blind, controlled, crossover trial of inositol versus fluvoxamine for the treatment of panic disorder. *Journal of Clinical Psychopharmacology*, 21(3), 335-339.
31. Fux, M., Benjamin, J., & Belmaker, R.H. (1999). Inositol versus placebo augmentation of serotonin reuptake inhibitors in the treatment of obsessive-compulsive disorder: a double-blind cross-over study. *International Journal of Neuropsychopharmacology*, 2(3), 193-195.
32. Williams, R.D., Mason, H.L., Smith, B.F., & Wilder, R.M. (1942). Induced thiamine (vitamin B1) deficiency and the thiamine requirement of man. *Archives of Internal Medicine*, 69(5), 721-738.
33. Stewart, J.W., Harrison, W., Quitkin, F., & Baker, H. (1984). Low B6 levels in depressed outpatients. *Biological Psychiatry*, 19(4), 613-616.
34. Russ, C.S. (1983). Vitamin B6 status of depressed and obsessive-compulsive patients. *Nutritional Reports International*, 27, 867-873.

#### **Chapter Fourteen: r: rEEG: A Breakthrough in Targeting Treatment for Depression**

1. Debattista, C., Kinrys, G., Hoffman, D., Goldstein, C., Zajecka, J., Kocsis, J., ... Fava, M. (2010). The use of referenced-EEG (rEEG) in assisting medication selection for the treatment of depression. *Journal of Psychiatric Research*, [Epub ahead of print].
2. Worcester, S. (2005). rEEG system helps guide prescribing. *Clinical Psychiatry News*, 33(2), 1 & 6.
3. CNS Response. (n.d.). *Referenced-EEG® (rEEG®): An introductory guide to recording*. Retrieved July 10, 2010, from [http://www.cnsresponse.com/doc/CNSR\\_rEEG\\_Intro\\_Guide\\_to\\_EEG\\_Recording\\_v2.0\\_Mar2009.pdf](http://www.cnsresponse.com/doc/CNSR_rEEG_Intro_Guide_to_EEG_Recording_v2.0_Mar2009.pdf)
4. Hoffman, D.A. (n.d.) *Referenced-EEG® (rEEG®): A biomarker assessment system to guide pharmacotherapy*. Retrieved from <http://cnsresponse.com/doc/CNSR%20rEEG%20Research%20Summary.pdf>

### **Chapter Fifteen: A: Amino Acids and Protein**

1. Smith, K.A., Fairburn, C.G., & Cowen, P.J. (1997). Relapse of depression after rapid depletion of tryptophan. *Lancet*, 349(9056), 915-919.
2. Levitan, R.D., Shen, J.H., Jindal, R., Driver, H.S., Kennedy, S.H., & Shapiro, C.M. (2000). Preliminary randomized double-blind placebo-controlled trial of tryptophan combined with fluoxetine to treat major depressive disorder: antidepressant and hypnotic effect. *Journal of Psychiatry and Neuroscience*, 25(4), 337-346.
3. Maes, M., Wauters, A., Neels, H., Scharpé, S., Van Gastel, A., D'Hondt, P., ... Desnyder, R. (1995). Total serum protein and serum protein fractions in depression: relationships to depressive symptoms and glucocorticoid activity. *Journal of Affective Disorders*, 34(1), 61-69.
4. Mitani, H., Shirayama, Y., Yamada, T., Maeda, K., Ashby, C.R. Jr., & Kawahara, R. (2006). Correlation between plasma levels of glutamate, alanine and serine with severity of depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 30(6), 1155-1158.
5. Mauri, M.C., Ferrara, A., Boscati, L., Bravin, S., Zamberlan, F., Alecci, M., & Invernizzi, G. (1998). Plasma and platelet amino acid concentrations in patients affected by major depression and under fluvoxamine treatment. *Neuropsychobiology*, 37(3), 124-129.
6. Jin, G., Kataoka, Y., Tanaka, M., Mizuma, H., Nozaki, S., Tahara, T., ... Watanabe, Y. (2009). Changes in plasma and tissue amino acid levels in an animal model of complex fatigue. *Nutrition*, 25(5), 597-607.
7. Layman, D.K. (2009). Dietary guidelines should reflect new understandings about adult protein needs. *Nutrition and Metabolism*, 6, 12.

### **Chapter Sixteen: Laboratory Tests Your Doctor May Order**

1. Almeida, O.P., McCaul, K., Hankey, G.J., Norman, P., Jamrozik, K., & Flicker, L. (2005). Homocysteine and depression later in life. *Archives of General Psychiatry*, 65(11), 1286-1294.
2. Lukaczer, D., & Schiltz, B. (2005). Assessment and therapeutic strategy—A place to start. In D.S. Jones (Ed.), *Textbook of functional medicine* (pp. 706-708). Gig Harbor, WA: Institute for Functional Medicine.
3. Lord, R.S., & Bralley, J.A. (Eds.). (2008). *Laboratory evaluations for integrative and functional medicine*. Duluth, GA: Metamatrix Institute.

## **PART III: PUTTING IT ALL TOGETHER: NURTURING THE MIND**

### **Chapter Seventeen: Beyond Biochemistry**

1. Menand, L. (2010, March 1). *Head case: can psychiatry be a science?* The New Yorker Retrieved May 20, 2010 from [http://www.newyorker.com/arts/critics/atlarge/2010/03/01/100301crat\\_atlarge\\_menand](http://www.newyorker.com/arts/critics/atlarge/2010/03/01/100301crat_atlarge_menand)
2. Lake, J. (2004). Integrative management of depressed mood. *Integrative Medicine*, 3(3), 48-57.
3. Ananth, S. (2009). Developing healing beliefs. *Explore (NY)*, 5(6), 354-355.
4. Broderick, P.C. (2005). Mindfulness and coping with dysphoric mood: contrasts with rumination and distraction. *Cognitive Therapy and Research*, 29(5), 501-510.
5. Amen, D.G. (n.d.) ANT Therapy: How to develop your own internal anteat to eradicate automatic negative thoughts. Retrieved September 12, 2010 from <http://www.ahha.org/articles.asp?Id=100>
6. Liebman, J.L. (1946). *Peace of Mind*. New York: Simon & Schuster.
7. Ray, O. (2004). How the mind hurts and heals the body. *American Psychologist*, 59(1), 29-40.
8. Langer, E.J. (2009). *Counter Clockwise: Mindful Health and the Power of Possibility*. New York: Ballantine Books.
9. Feldman, G. (2007). Cognitive and behavioral therapies for depression: overview, new directions, and practical recommendations for dissemination. *Psychiatric Clinics of North America*, 30(1), 39-50.
10. Shedler, J. (2010). The efficacy of psychodynamic psychotherapy. *American Psychologist*, 65(2), 98-109.
11. Lee Duckworth, A., Steen, T.A., & Seligman, M.E. (2005). Positive psychology in clinical practice. *Annual Review of Clinical Psychology*, 1, 629-651.

12. Angus, L.E., & McLeod, J. (Ed.) (2004). *Handbook of Narrative and Psychotherapy: Practice, Theory, and Research*. Thousand Oaks, CA: Sage.
13. Andrews, P.W., & Thomson, J.A. Jr. (2009). The bright side of being blue: depression as an adaptation for analyzing complex problems. *Psychological Review*, *116*(3), 620-654.

### **Chapter Eighteen: Prayer and Placebos**

1. Koenig, H.G. (2009). Research on religion, spirituality, and mental health: a review. *Canadian Journal of Psychiatry*, *54*(5), 283-291.
2. Koenig, H.G., George, L.K., & Peterson, B.L. (1998). Religiosity and remission of depression in medically ill older patients. *American Journal of Psychiatry*, *155*(4), 536-542.
3. Murphy, P.E., & Fitchett, G. (2009). Belief in a concerned God predicts response to treatment for adults with clinical depression. *Journal of Clinical Psychiatry*, *65*(9), 1000-1008.
4. Bosworth, H.B., Park, K.S., McQuoid, D.R., Hays, J.C., & Steffens, D.C. (2003). The impact of religious practice and religious coping on geriatric depression. *International Journal of Geriatric Psychiatry*, *18*(10), 905-914.
5. Shafranske, E.P. (2009). Spiritually oriented psychodynamic psychotherapy. *Journal of Clinical Psychiatry*, *65*(2), 147-157.
6. Pollo, A., & Benedetti, F. (2009). The placebo response: neurobiological and clinical issues of neurological relevance. *Progress in Brain Research*, *175*, 283-294.
7. Fournier, J.C., DeRubeis, R.J., Hollon, S.D., Dimidjian, S., Amsterdam, J.D., Shelton, R.C., & Fawcett, J. (2010). Antidepressant drug effects and depression severity: a patient-level meta-analysis. *Journal of the American Medical Association*, *303*(1), 47-53.
8. Murray, C.J., & Lopez, A.D. (1996). Evidence-based health policy – lessons from the Global Burden of Disease Study. *Science*, *274*(5288), 740-743.
9. Styron, W. (2007). *Darkness Visible: A Memoir of Madness*. New York: Modern Library.

### **Chapter Nineteen: Letting Go**

1. Kenny, M., Bernier, R., & DeMartini, C. (2005). Chant and be happy: the effects of chanting on respiratory function and general well-being in individual diagnosed with depression. *International Journal of Yoga Therapy*, *15*, 61-64.
2. Brown, R.P., & Gerbarg, P.L. (2009). Yoga breathing, meditation, and longevity. *Annals of New York Academy of Sciences*, *1172*, 54-62.
3. Nolen-Hoeksema, S. (2000). The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*, *109*(3), 504-511.
4. Broderick, P.C. (2005). Mindfulness and coping with dysphoric mood: contrasts with rumination and distraction. *Cognitive Therapy and Research*, *29*(5), 501-510.
5. Lund, D.A., Utz, R., Caserta, M.S., & De Vries, B. (2008). Humor, laughter & happiness in the daily lives of recently bereaved spouses. *Omega*, *58*(2), 87-105.
6. Bennett, M.P., & Lengacher, C. (2008). Humor and laughter may influence health: III. Laughter and Health Outcomes. *Evidence-based Complementary and Alternative Medicine*, *5*(1), 37-40.
7. Kataria, M. (2002). *Laugh for No Reason*. Mumbai, India: Madhuri International.
8. Lawler, K.A., Younger, J.W., Piferi, R.L., Jobe, R.L., Edmondson, K.A., & Jones, W.H. (2005). The unique effects of forgiveness on health: an exploration of pathways. *Journal of Behavioral Medicine*, *28*(2), 157-167.
9. Friedman, P.H., & Toussaint, L. (2006). The relationship between forgiveness, gratitude, distress, and well-being: an integrative review of the literature. *International Journal of Healing and Caring*, *6*(2), 1-10.
10. Krause, N., & Ellison, C.G. (2003). Forgiveness by God, forgiveness of others, and psychological well-being late in life. *Journal for the Scientific Study of Religion*, *42*(1), 77-93.

11. Thompson, L.Y., Snyder, C.R., Hoffman, L., Michael, S.T., Rasmussen, H.N., Billings, L.S., .... Roberts, D.E. (2005). Dispositional forgiveness of self, others, and situations: The Heartland Forgiveness Scale. *Journal of Personality, 73*(2), 313-359.
12. Toussaint, L.L., Williams, D.R., Musick, M.A., & Everson, S.A. (2001). Forgiveness and health: age differences in a U.S. probability sample. *Journal of Adult Development, 8*(4), 249-257.
13. Oman, D., Shapiro, S.L., Thoresen, C.E., Plante, T.G., & Flinders, T. (2009). Meditation lowers stress and supports forgiveness among college students: a randomized controlled trial. *Journal of American College Health, 56*(5), 569-578.

### **Conclusion: Personalized Medicine**

1. Bhatia, S.K., & Bhatia, S.C. (2001). Childhood and adolescent depression. *American Family Physician, 75*(1), 73-80.
2. Jacka, F.N., Kremer, P.J., Leslie, E.R., Berk, M., Patton, G.C., ... Williams, J.W. (2010). Associations between diet quality and depressed mood in adolescents: results from the Australian Healthy Neighbourhoods Study. *Australian New Zealand Journal of Psychiatry, 44*(5), 435-442.
3. Hamrin, V., & Magorno, M. (2010). Assessment of adolescents for depression in the pediatric primary care setting. *Pediatric Nursing, 36*(2), 103-111.
4. Katon, W., Richardson, L., Russo, J., McCarty, C.A., Rockhill, C., McCauley, E., ... Grossman, D.C. (2010). Depressive symptoms in adolescence: the association with multiple health risk behaviors. *General Hospital Psychiatry, 32*(3), 233-239.
5. Richmond, T.K., & Rosen, D.S. (2005). The treatment of adolescent depression in the era of the black box warning. *Current Opinion in Pediatrics, 17*(4), 466-472.
6. Shannon, S. (2009). Integrative approaches to pediatric mood disorders. *Alternative Therapies in Health and Medicine, 15*(5), 48-53.
7. Whitaker, R.T. (2010). *Anatomy of an Epidemic*. New York: Crown.